

Persistent Vegetative State

References

- Ashwal, S. (2005). Recovery of consciousness and life expectancy of children in a vegetative state. *Neuropsychological Rehabilitation, 15*(3/4), 190-197.
- Avesani, R., Gambini, M. G., Albertini, G. (2006). Case study. The vegetative state: A report of two cases with a long-term follow-up. *Brain Injury, 20*(3), 333-338.
- Barker, R. A. (2005). The neurological assessment of patients in vegetative and minimally conscious states. *Neuropsychological Rehabilitation, 15*(3/4), 214-223.
- Bates, D. (2005). The vegetative state and the Royal College of Physicians guidance. *Neuropsychological Rehabilitation, 15*(3/4), 175-183.
- Beaumont, J. G., & Kenealy, P. M. (2005). Incidence and prevalence of the vegetative and minimally conscious states. *Neuropsychological Rehabilitation, 15*(3/4), 184-189.
- Borthwick, C. (2005). Ethics and the vegetative state. *Neuropsychological Rehabilitation, 15*(3/4), 257-263.
- Coma Recovery Association (1996, February). *Royal Hospital for neuro-disability International Working Party report on the vegetative state*. London, UK: The Royal Hospital for Neuro-disability. Retrieved February 20, 2008, from <http://www.comarecovery.org.pvs.shtm>
- Dustan, G. R. (1985). Hard questions in intensive care. *Anaesthesia, 40*, 479-482.
- Eilander, H. J., Timmerman, R. B. W., Scheirs, J. G. M., Van Huegten, C. M., De Kort, P. L. M., & Prevo, A. J. H. (2007). Children and young adults in prolonged unconscious state after severe brain injury: Long term functional outcome as measured by the DRS and the GOSE after early intensive neurorehabilitation. *Brain Injury, 21*(1), 53-61.

- Eker, C., Schalen, W., Asgeirsson, B., Grande, P. O., Ranstam, J., & Nordstrom, C. H. (2000). Reduced mortality after severe head injury will increase the demands for rehabilitation services. *Brain Injury, 14*(7), 605-619.
- Freeman, E. A. (1997). Personal opinion. Protocols for the vegetative state. *Brain Injury, 11*(11), 837-849.
- Giacino, J. T., & Kalmar, K. (2005). Diagnostic guidelines for the vegetative and minimally conscious states. *Neuropsychological Rehabilitation, 15*(3/4), 166-174.
- Gill-Thwaites, H. (2006). Lotteries, loopholes, and luck: Misdiagnosis in the vegetative state patient. *Brain Injury, 20*(13-14), 1321-1328.
- Guerit, J. M. (2005). Neurophysiological patterns of vegetative and minimally conscious states. *Neuropsychological Rehabilitation, 15*(3/4), 357-371.
- Isono, M., Wakabayashi, Y., Fujiki, M., Kamida, T., & Kobayashi, H. (2002). Sleep cycle in patients in a state of permanent consciousness. *Brain Injury, 16*(8), 705-712.
- Jennett, B. (2005). Part I: Definitions, diagnosis, prevalence and ethics. *Neuropsychological Rehabilitation, 15*(3/4), 163-165.
- Kotchoubey, B. (2005). Appallic syndrome is not apallic: Is vegetative state vegetative? *Neuropsychological Rehabilitation, 15*(3/4), 333-356.
- Lavrijsen, J., Van Den Bosch, H., Koopmans, R., Van Weel, C., & Froeling, P. (2005). Events and decision-making in the long-term care of Dutch nursing home patients in a vegetative state. *Brain Injury, 19*(1), 91-102.
- Magee, W. L. (2007). Music as a diagnostic tool in low awareness states: Considering limbic responses. *Brain Injury, 21*(6), 593-599.

- Marco, S., Simona, S., Cipolla, F., Onorati, P., Scoppetta, C., & Albertini, C. et al. (2007). Case study. An unexpected recovery from permanent vegetative state. *Brain Injury*, 21(1), 101-103.
- McLean, S. A. M. (2005). Permanent vegetative state: The legal position. *Neuropsychological Rehabilitation*, 15(3/4), 237-250.
- McMillan, T. M., & Herbert, C. M. (2000). Case study. Neuropsychological assessment of a “potential euthanasia” case: A 5 year follow up. *Brain Injury*, 14(2), 197-203.
- Noda, R., Maeda, Y., & Yoshino, A. (2004). Therapeutic time window for musicokinetic therapy in a persistent vegetative state after severe brain injury. *Brain Injury*, 18(5), 509-515.
- Province, C. (2005). The vegetative state: Promoting greater clarity and improved treatment. *Neuropsychological Rehabilitation*, 15(3/4), 264-271.
- Reimer, M., & LeNavenc, C. L. (2005). Rehabilitation outcome evaluation after very severe brain injury. *Neuropsychological Rehabilitation*, 15(3/4), 473-479.
- Rousseau, M. C., Confort-Gouny, S., Catala, A., Graperon, J., Blaya, J., & Soulier, E., et al. (2008). A MRS-MRI-fMRI exploration of the brain. Impact of long-lasting persistent vegetative state. *Brain Injury*, 22(2), 123-134.
- Sorbo, A., Rydenhag, B., Sunnerhagen, K. S., Blomqvist, M., Svensson, S., & Emanuelson, I. (2005). Outcome after severe brain damage, what makes the difference? *Brain Injury*, 19(7), 493-503.
- Strens, L. H. A., G., Masibrada, G., Duncan, J. S., & Greenwood, R. (2004). Case study. Misdiagnosing the vegetative state after severe brain injury: The influence of medication. *Brain Injury*, 18(2), 213-218.

- The Multi-Society Task Force on PVS. (1994, May). Medical aspects of the persistent vegetative state (first of two parts). *The New England Journal of Medicine*, 330(21), 1499-1508.
- The Multi-Society Task Force on PVS. (1994, June). Medical aspects of the persistent vegetative state (second of two parts). *The New England Journal of Medicine*, 330(22), 1572-1579.
- Vandekieft, G. (2005). Who decides? An ethics case consult for Terri Schiavo. *The American Journal of Hospice & Palliative Care*, 22, 175-177.
- Wijdicks, E. F. M. (2006). Editorial. Minimally conscious state vs persistent vegetative state: The case of Terry (Wallis) vs the case of Terri (Schiavo). *Mayo Clinic Proceedings*, 81(9), 1115-1158.
- Wijdicks, E. F. M., & Cranford, R. E. (2005). Clinical diagnosis of prolonged states of impaired consciousness in adults. *Mayo Clinic Proceedings*, 80(8), 1037-1046.
- Zasler, N. D. (2005). Forensic assessment issues in low level neurological states. *Neuropsychological Rehabilitation*, 15(3/4), 251-256.